

PT23 Series D.O.T. Push-in Fittings




800.909.4988
info@rankinusa.com

RANKIN 
COMPONENTS THAT AUTOMATE

Material:	Brass	
Working Temperature:	-50 ÷ 100	C°
Working Temperature:	-58 ÷ 212	F°
Working Pressure (max):	20	bar
Working Pressure (max):	290	psi
Vacuum:	-99	kPa
Vacuum:	29"	Hg
Conformity:	RoHS	

Conformity:
Conformity:
Conformity:
Conformity:
Application

Pneumatic circuits for truck and Trailers : Air Suspension, Braking Systems, Transmissions, locking doors and windows, Seat adjustment, Instrumentation, Air conditioning systems, horn, wiper motors, valves, cylinders and accessories



CODE	TYPE	TUBEOD	TUBEID	IDIN	D1NPTF	D2	D2IN	L1	L1IN	L2	L2IN	L3	L3IN	L4	L4IN	HEX	G	OZ	WTF	WPP	TVH
2T130011	PT23	5/32	2.2	.087	1/8	9	.354	8.5	.335	21.2	.835	21	.827	42	1.654	1/2	-	-	-58	290	29"
		5/32																	+		
		1/8																	212		
2T130012	PT23	5/32	2.2	.087	1/4	9	.354	13	.512	26.2	1.031	21	.827	47	1.85	9/16	-	-	-58	290	29"
		5/32																	+		
		1/4																	212		
2T130031	PT23	1/4	4.2	.165	1/8	12	.472	8.5	.335	21.2	.835	23.5	.925	44.5	1.752	1/2	29.1	1.026	-58	290	29"
		1/4																	+		
		1/8																	212		
2T130032	PT23	1/4	4.2	.165	1/4	12	.472	13	.512	26.2	1.031	23.5	.925	49.5	1.949	9/16	33.8	1.192	-58	290	29"
		1/4																	+		
		1/4																	212		
2T130033	PT23	1/4	4.2	.165	3/8	12	.472	13	.512	26.7	1.051	23.5	.925	50	1.969	11/16	-	-	-58	290	29"
		1/4																	+		
		3/8																	212		

2T130052	PT23 3/8 1/4	3/8	6.2	.244	1/4	16	.630	13	.512	28.5	1.122	27	1.063	55.5	2.185	11/16	-	-	-58 ÷ 212	290	29"
2T130053	PT23 3/8 3/8	3/8	6.2	.244	3/8	16	.630	13	.512	28.5	1.122	27	1.063	55.5	2.185	11/16	61	2.152	-58 ÷ 212	290	29"
2T130054	PT23 3/8 1/2	3/8	6.2	.244	1/2	16	.630	17	.669	34	1.339	27	1.063	61	2.402	7/8	-	-	-58 ÷ 212	290	29"
2T130062	PT23 1/2 1/4	1/2	9.2	.362	1/4	20	.787	13	.512	32	1.260	29.7	1.169	61.7	2.429	13/16	-	-	-58 ÷ 212	290	29"
2T130063	PT23 1/2 3/8	1/2	9.2	.362	3/8	20	.787	13	.512	32	1.260	29.7	1.169	61.7	2.429	13/16	91.1	3.213	-58 ÷ 212	290	29"
2T130064	PT23 1/2 1/2	1/2	9.2	.362	1/2	20	.787	17	.669	36.5	1.437	29.7	1.169	66.2	2.606	7/8	103.5	3.651	-58 ÷ 212	290	29"