



RUBBER BELT PRODUCT GUIDE



UniMatch® Classical Multi-Plus® A, B, C, D, E

Multi-Plus V-Belts are designed to perform in tandem in multiple V-Belt drives, maintaining drive efficiency and belt performance. Multi-Plus V-Belts are always matched, easy to install and maintain. Multi-Plus V-Belts come in a complete range of sizes, are anti-static and offer oil and heat resistance meeting ARPM requirements.



Dual Branding – A and B section belts up to 100" are Dual Branded clearly identifying both ARPM classical and fractional horsepower (FHP) sizes allowing consolidation of your classical and FHP inventory into one belt line – saving you money! No need to carry two separate product lines. The dual part number system is more than just labeling, too. FHP & Classical belts have the same top width dimension but classical profile is deeper, allowing more belt/pulley contact and reducing sheave wear.

Dual Branding Examples: A40 (4L420) --- B78 (5L810)




WARNING: This product can expose you to chemicals including carbon black, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit www.P65WARNINGS.ca.gov

PART NOMENCLATURE

A15

A = 0.50" width x 0.31" thickness

15 = Inside length 15.0"



Features & Benefits

UniMatch Construction: Consistent performance in multiple V-Belt drives - ensures all belts will measure within ARPM matching standards

Dual Branding: A & B sections dual-branded with classical and FHP part numbers - reduces inventory by allowing you to discontinue 4L and 5L

Oil & Heat Resistant: Durability in tough environments

Construction

Compound: Natural rubber/SBR
Cord: Polyester
Cover: Cotton/polyester blend

Technical Info

Applications General Industry, HVAC Equipment, Lawn & Garden, Agriculture
Engineering Standards Conforms to ARPM standard IP-20
Temperature Range -22°F/+176° (-30°C/+80°C)
Recommended Pulleys Use pulleys made to ARPM standards

All items subject to minimum order requirements.



Classical Multi-Plus® - A, B

AVAILABLE SIZES

Additional Lengths may be available. Contact Megadyne for sizes not listed.

A			A			A			A		
Belt Number	Outside Length (inch)	Approx. Weight (lbs.)	Belt Number	Outside Length (inch)	Approx. Weight (lbs.)	Belt Number	Outside Length (inch)	Approx. Weight (lbs.)	Belt Number	Outside Length (inch)	Approx. Weight (lbs.)
4L160	16.0	0.10	A53 (4L50)	55.0	0.30	A92 (4L940)	94.0	0.50	A162	164.0	1.10
A15 (4L170)	17.0	0.10	A54 (4L560)	56.0	0.30	A93 (4L950)	95.0	0.50	A173	175.0	1.15
A16 (4L180)	18.0	0.10	A55 (4L570)	57.0	0.30	A94 (4L960)	96.0	0.50	A180	182.0	1.15
A17 (4L190)	19.0	0.10	A56 (4L580)	58.0	0.30	A95 (4L970)	97.0	0.50	A196	198.0	1.31
A18 (4L200)	20.0	0.10	A57 (4L590)	59.0	0.30	A96 (4L980)	98.0	0.50	A197	199.0	1.31
A19 (4L210)	21.0	0.10	A58 (4L600)	60.0	0.30	A97 (4L990)	99.0	0.50	A210	212.0	1.35
A20 (4L220)	22.0	0.10	A59 (4L610)	61.0	0.30	A98 (4L 1000)	100.0	0.50	A221	223.0	1.40
A21 (4L230)	23.0	0.10	A60 (4L620)	62.0	0.30	A99	101.0	0.50	A256	258.0	1.70
A22 (4L240)	24.0	0.15	A61 (4L630)	63.0	0.30	A100	102.0	0.50	A258	260.0	1.75
A23 (4L250)	25.0	0.20	A62 (4L640)	64.0	0.30	A101	103.0	0.50	B		
A24 (4L260)	26.0	0.20	A63 (4L650)	65.0	0.30	A103	105.0	0.50	5L220	22.0	0.40
A25 (4L270)	27.0	0.20	A64 (4L660)	66.0	0.30	A104	106.0	0.50	5L230	23.0	0.40
A26 (4L280)	28.0	0.20	A65 (4L670)	67.0	0.30	A105	107.0	0.50	B20	23.0	0.40
A27 (4L290)	29.0	0.20	A66 (4L680)	68.0	0.40	A106	108.0	0.55	B21 (5L240)	24.0	0.40
A28 (4L300)	30.0	0.20	A67 (4L690)	69.0	0.40	A107	109.0	0.57	B22 (5L250)	25.0	0.40
A29 (4L310)	31.0	0.20	A68 (4L700)	70.0	0.40	A108	110.0	0.60	B23 (5L260)	26.0	0.40
A30 (4L320)	32.0	0.20	A69 (4L710)	71.0	0.40	A109	111.0	0.65	B24 (5L270)	27.0	0.40
A31 (4L340)	33.0	0.20	A70 (4L720)	72.0	0.40	A110	112.0	0.70	B25 (5L280)	28.0	0.40
A32 (4L340)	34.0	0.20	A71 (4L730)	73.0	0.40	A111	113.0	0.75	B26 (5L290)	29.0	0.40
A33 (4L350)	35.0	0.20	A72 (4L740)	74.0	0.40	A112	114.0	0.80	B27 (5L300)	30.0	0.40
A34 (4L360)	36.0	0.20	A73 (4L750)	75.0	0.40	A113	115.0	0.80	B28 (5L310)	31.0	0.40
A35 (4L370)	37.0	0.20	A74 (4L760)	76.0	0.40	A114	116.0	0.80	B29 (5L320)	32.0	0.40
A36 (4L380)	38.0	0.20	A75 (4L770)	77.0	0.40	A115	117.0	0.80	B30 (5L330)	33.0	0.40
A37 (4L390)	39.0	0.20	A76 (4L780)	78.0	0.40	A116	118.0	0.80	B31 (5L340)	34.0	0.40
A38 (4L400)	40.0	0.20	A77 (4L790)	79.0	0.40	A118	120.0	0.80	B32 (5L350)	35.0	0.40
A39 (4L410)	41.0	0.20	A78 (4L800)	80.0	0.40	A119	121.0	0.80	B33 (5L360)	36.0	0.40
A40 (4L420)	42.0	0.20	A79 (4L810)	81.0	0.40	A120	122.0	0.80	B34 (5L370)	37.0	0.40
A41 (4L430)	43.0	0.20	A80 (4L820)	82.0	0.40	A124	126.0	0.80	B35 (5L380)	38.0	0.40
A42 (4L440)	44.0	0.20	A81 (4L830)	83.0	0.40	A128	130.0	0.80	B36 (5L390)	39.0	0.40
A43 (4L450)	45.0	0.30	A82 (4L840)	84.0	0.40	A130	132.0	0.80	B37 (5L400)	40.0	0.40
A44 (4L460)	46.0	0.30	A83 (4L850)	85.0	0.40	A133	135.0	0.80	B38 (5L410)	41.0	0.40
A45 (4L470)	47.0	0.30	A84 (4L860)	86.0	0.40	A134	136.0	0.80	B39 (5L420)	42.0	0.40
A46 (4L480)	48.0	0.30	A85 (4L870)	87.0	0.40	A135	137.0	0.90	B40 (5L430)	43.0	0.40
A47 (4L490)	49.0	0.30	A86 (4L880)	88.0	0.40	A136	138.0	0.90	B41 (5L440)	44.0	0.40
A48 (4L500)	50.0	0.30	A87 (4L890)	89.0	0.40	A137	139.0	0.90	B42 (5L450)	45.0	0.40
A49 (4L510)	51.0	0.30	A88 (4L900)	90.0	0.40	A140	142.0	0.95	B43 (5L460)	46.0	0.40
A50 (4L520)	52.0	0.30	A89 (4L910)	91.0	0.40	A144	146.0	1.00	B44 (5L470)	47.0	0.40
A51 (4L530)	53.0	0.30	A90 (4L920)	92.0	0.40	A157	159.0	1.10	B45 (5L480)	48.0	0.40
A52 (4L540)	54.0	0.30	A91 (4L930)	93.0	0.50	A158	160.0	1.10	B46 (5L490)	49.0	0.50




WARNING: This product can expose you to chemicals including carbon black, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit www.P65WARNINGS.ca.gov

Classical Multi-Plus® - B (continued)

AVAILABLE SIZES

Additional Lengths may be available. Contact Megadyne for sizes not listed.

B			B			B			B		
Belt Number	Outside Length (inch)	Approx. Weight (lbs.)	Belt Number	Outside Length (inch)	Approx. Weight (lbs.)	Belt Number	Outside Length (inch)	Approx. Weight (lbs.)	Belt Number	Outside Length (inch)	Approx. Weight (lbs.)
B47 (5L500)	50.0	0.50	B86 (5L890)	89.0	0.80	B128	131.0	1.30	B205	208.0	2.00
B48 (5L510)	51.0	0.50	B87 (5L900)	90.0	0.80	B130	133.0	1.30	B210	213.0	2.00
B49 (5L520)	52.0	0.50	B88 (5L910)	91.0	0.80	B131	134.0	1.30	B215	217.0	2.10
B50 (5L530)	53.0	0.50	B89 (5L920)	92.0	0.80	B132	135.0	1.30	B221	223.0	2.25
B51 (5L540)	54.0	0.50	B90 (5L930)	93.0	0.90	B133	136.0	1.30	B223	225.0	2.25
B52 (5L550)	55.0	0.50	B91 (5L940)	94.0	0.90	B134	137.0	1.30	B224	226.0	2.30
B53 (5L560)	56.0	0.50	B92 (5L950)	95.0	0.90	B135	138.0	1.30	B225	227.0	2.30
B54 (5L570)	57.0	0.50	B93 (5L960)	96.0	0.90	B136	139.0	1.30	B228	230.0	2.30
B55 (5L580)	58.0	0.60	B94 (5L970)	97.0	0.90	B138	141.0	1.30	B229	231.0	2.30
B56 (5L590)	59.0	0.60	B95 (5L980)	98.0	0.90	B140	143.0	1.30	B234	236.0	2.30
B57 (5L600)	60.0	0.60	B96 (5L990)	99.0	0.90	B141	144.0	1.30	B237	239.0	2.30
B58 (5L610)	61.0	0.60	B97 (5L1000)	100.0	0.90	B142	145.0	1.30	B240	242.0	2.30
B59 (5L620)	62.0	0.60	B98 (5L1010)	101.0	0.90	B144	147.0	1.40	B248	250.0	2.30
B60 (5L630)	63.0	0.60	B99 (5L1020)	102.0	1.00	B147	150.0	1.40	B253	255.0	2.30
B61 (5L640)	64.0	0.70	B100	103.0	1.00	B148	151.0	1.40	B255	257.0	2.30
B62 (5L650)	65.0	0.70	B101	104.0	1.00	B150	153.0	1.50	B259	261.0	2.30
B63 (5L660)	66.0	0.70	B102	105.0	1.00	B152	155.0	1.50	B265	267.0	2.30
B64 (5L670)	67.0	0.70	B103	106.0	1.00	B153	155.0	1.50	B270	272.0	2.30
B65 (5L680)	68.0	0.70	B104	107.0	1.00	B154	157.0	1.50	B276	278.0	2.70
B66 (5L690)	69.0	0.70	B105	108.0	1.00	B156	159.0	1.50	B285	287.0	2.70
B67 (5L700)	70.0	0.70	B106	109.0	1.00	B157	160.0	1.50	B292	294.0	2.70
B68 (5L710)	71.0	0.70	B107	110.0	1.00	B158	161.0	1.50	B293	295.0	2.70
B69 (5L720)	72.0	0.70	B108	111.0	1.00	B162	165.0	1.50	B300	302.0	2.70
B70 (5L730)	73.0	0.70	B109	112.0	1.00	B163	166.0	1.50	B315	317.0	2.90
B71 (5L740)	74.0	0.70	B110	113.0	1.10	B165	168.0	1.50	B330	332.0	2.90
B72 (5L750)	75.0	0.70	B111	114.0	1.10	B168	171.0	1.50	B333	335.0	2.90
B73 (5L760)	76.0	0.70	B112	115.0	1.10	B170	173.0	1.50	B345	347.0	3.00
B74 (5L770)	77.0	0.70	B113	116.0	1.15	B173	176.0	1.50	B360	362.0	3.20
B75 (5L780)	78.0	0.70	B114	117.0	1.20	B175	178.0	1.50	B394	396.0	4.00
B76 (5L790)	79.0	0.70	B115	118.0	1.20	B177	180.0	1.50	B433	435.0	4.20
B77 (5L800)	80.0	0.80	B116	119.0	1.20	B180	183.0	1.50	B472	474.0	4.60
B78 (5L810)	81.0	0.80	B118	121.0	1.20	B182	185.0	1.50			
B79 (5L820)	82.0	0.80	B120	123.0	1.20	B184	187.0	1.50			
B80 (5L830)	83.0	0.80	B122	125.0	1.20	B188	191.0	1.80			
B81 (5L840)	84.0	0.80	B123	126.0	1.20	B190	193.0	1.90			
B82 (5L850)	85.0	0.80	B124	127.0	1.20	B192	195.0	2.00			
B83 (5L860)	86.0	0.80	B125	128.0	1.20	B195	198.0	2.00			
B84 (5L870)	87.0	0.80	B126	129.0	1.20	B197	200.0	2.00			
B85 (5L880)	88.0	0.80	B127	130.0	1.20	B204	207.0	2.00			

 **WARNING:** This product can expose you to chemicals including carbon black, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit www.P65WARNINGS.ca.gov

Classical Multi-Plus® - C

AVAILABLE SIZES


Additional Lengths may be available. Contact Megadyne for sizes not listed.

C		
Belt Number	Outside Length (inch)	Approx. Weight (lbs.)
C41	45.0	0.80
C43	47.0	0.80
C45	49.0	0.80
C46	40.0	0.80
C47	51.0	0.80
C48	52.0	0.90
C50	54.0	0.90
C51	55.0	0.90
C52	56.0	0.90
C53	57.0	0.90
C54	58.0	0.90
C55	59.0	1.00
C56	60.0	1.02
C57	61.0	1.04
C58	62.0	1.06
C59	63.0	1.08
C60	64.0	1.10
C62	66.0	1.10
C63	67.0	1.10
C64	68.0	1.10
C65	69.0	1.10
C66	70.0	1.10
C67	71.0	1.10
C68	72.0	1.10
C69	73.0	1.15
C70	74.0	1.20
C72	76.0	1.20
C73	77.0	1.20
C75	79.0	1.20
C78	82.0	1.20
C79	83.0	1.20
C80	84.0	1.20
C81	85.0	1.30
C83	87.0	1.30
C85	89.0	1.40
C86	90.0	1.40
C87	91.0	1.40
C88	92.0	1.40
C90	94.0	1.40

C		
Belt Number	Outside Length (inch)	Approx. Weight (lbs.)
C92	96.0	1.40
C93	97.0	1.40
C94	98.0	1.50
C96	100.0	1.50
C97	101.0	1.80
C98	102.0	1.80
C99	103.0	1.80
C100	104.0	1.90
C101	105.0	1.90
C102	106.0	1.90
C103	107.0	1.90
C104	108.0	1.90
C105	109.0	1.90
C106	110.0	1.90
C108	112.0	1.90
C109	113.0	1.90
C110	114.0	1.90
C112	116.0	2.00
C115	119.0	2.00
C116	120.0	2.00
C118	122.0	2.10
C120	124.0	2.20
C124	128.0	2.25
C126	130.0	2.30
C128	132.0	2.40
C130	134.0	2.40
C132	136.0	2.40
C134	138.0	2.40
C136	140.0	2.40
C138	142.0	2.40
C140	144.0	2.40
C141	145.0	2.40
C142	146.0	2.40
C143	147.0	2.40
C144	148.0	2.40
C148	152.0	2.60
C150	154.0	2.60
C152	156.0	2.60
C153	157.0	2.60

C		
Belt Number	Outside Length (inch)	Approx. Weight (lbs.)
C154	158.0	2.70
C155	159.0	2.70
C156	160.0	2.70
C158	162.0	2.70
C159	163.0	2.70
C160	164.0	2.70
C162	166.0	2.70
C166	170.0	2.70
C168	172.0	2.70
C172	176.0	3.00
C173	177.0	3.00
C175	179.0	3.00
C177	181.0	3.10
C180	184.0	3.20
C185	189.0	3.20
C188	192.0	3.20
C190	194.0	3.20
C195	199.0	3.40
C200	204.0	3.50
C202	206.0	3.60
C204	208.0	3.60
C207	211.0	3.65
C208	212.0	3.65
C210	214.0	3.70
C220	222.0	3.70
C225	227.0	4.40
C228	230.0	4.40
C238	240.0	4.80
C240	242.0	4.80
C245	247.0	5.00
C246	248.0	5.00
C248	250.0	5.00
C255	257.0	5.00
C270	272.0	5.40
C276	278.0	5.40
C280	282.0	5.50
C285	287.0	5.60
C297	299.0	5.60
C300	302.0	5.60

C		
Belt Number	Outside Length (inch)	Approx. Weight (lbs.)
C303	305.0	5.60
C314	316.0	5.60
C315	317.0	5.60
C330	332.0	5.70
C345	347.0	6.60
C360	362.0	7.00
C390	392.0	7.40
C420	422.0	7.80
C480	482.0	7.90

 **WARNING:** This product can expose you to chemicals including carbon black, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit www.P65WARNINGS.ca.gov

All items subject to minimum order requirements.

Classical Multi-Plus® - D, E

AVAILABLE SIZES

Additional Lengths may be available. Contact Megadyne for sizes not listed.

D		
Belt Number	Outside Length (inch)	Approx. Weight (lbs.)
D90	95.0	3.40
D105	110.0	4.00
D115	120.0	4.30
D120	125.0	4.50
D128	133.0	4.80
D132	137.0	5.00
D136	141.0	5.20
D144	149.0	5.40
D158	163.0	6.00
D162	167.0	6.10
D171	176.0	6.40
D173	178.0	6.50
D180	185.0	6.80
D195	200.0	7.30
D205	210.0	7.90
D210	215.0	8.40
D225	228.0	8.40
D240	243.0	9.00
D248	251.0	9.00

D		
Belt Number	Outside Length (inch)	Approx. Weight (lbs.)
D255	258.0	9.50
D270	273.0	10.00
D285	288.0	10.70
D300	303.0	11.20
D315	318.0	11.80
D330	333.0	12.40
D345	348.0	12.60
D355	358.0	13.00
D360	363.0	13.50
D390	393.0	14.60
D394	397.0	14.80
D420	423.0	15.80
D441	444.0	16.50
D450	453.0	16.95
D480	483.0	18.10
D540	543.0	20.20
D600	603.0	22.40
D660	663.0	24.80

E		
Belt Number	Outside Length (inch)	Approx. Weight (lbs.)
E144	150.0	9.30
E180	186.0	9.30
E195	201.0	10.00
E210	216.0	12.00
E225	231.0	13.00
E240	246.0	13.50
E270	276.0	15.30
E300	306.0	17.00
E310	316.0	17.60
E330	336.0	18.80
E360	366.0	20.40
E390	396.0	22.10
E420	426.0	23.80
E441	447.0	25.00
E460	466.0	26.00
E480	486.0	28.00



WARNING: This product can expose you to chemicals including carbon black, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit www.P65WARNINGS.ca.gov



All items subject to minimum order requirements.