





# SUPPORTS FOR VACUUM CUPS

3D drawings are available on [vuototecnica.net](http://vuototecnica.net)


The supports and accessories shown and described on this page and on the following pages are the same as those already described in the previous pages, alongside their respective vacuum cups. On these pages, the customer can also find the list of the vacuum cups for which each support is suited. They are specially shaped to perfectly adhere to the internal profile of the cups and they are provided with a male or female axial pin in order to allow suction, as well as to fasten them to the automation. These cups can be manually assembled onto their supports without any adhesives, simply by pressing them in. They are made with nickel-plated brass or anodised aluminium or with special materials upon request.




Item	D ∅	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 01	2.90	3	5	10	18	brass	01 04 10	4.0
							01 05 10	
							01 06 10	
00 08 02	4.75	3	5	10	18	brass	01 08 10	4.0
							01 09 07	



Item	D ∅	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 03	5.5	5	8	7	20	brass	01 10 10	9.0
							01 11 16	
							01 12 10	
							01 14 10	
							01 14 32	
							01 15 10	
							01 16 20	
							01 17 12	
							01 18 10	
							01 20 10	
							01 20 24	
							01 22 10	
							01 25 28	



Item	D ∅	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 04	5.5	13	9	7	20	brass	01 10 10	8.1
							01 11 16	
							01 12 10	
							01 14 10	
							01 14 32	
							01 15 10	
							01 16 20	
							01 17 12	
							01 18 10	
							01 20 10	
							01 20 24	
							01 22 10	
							01 25 28	




Transformation ratio: N (newton) = Kg x 9.81 (force of gravity)

$$\text{inch} = \frac{\text{mm}}{25.4}; \text{pounds} = \frac{\text{g}}{453.6} = \frac{\text{Kg}}{0.4536}$$


Adapters for GAS - NPT threading available on page 1.130




Item	D Ø	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 05	7.5	5	8	9.5	22.5	brass	01 15 15	10.0
							01 25 15	
							01 30 15	
							01 40 80	
							01 42 90	




Item	D Ø	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 06	5.25	4.5	4	8.5	17	AVP	01 06 50	2.6
							01 08 50	
							01 11 50	
							01 11 16	
							01 16 20	
							01 17 12	




Item	D Ø	E	F	H	Support material	For vacuum cup item	Weight g
00 08 07	10	5	9.5	14.5	brass	01 18 50	4.8
						01 20 60	



Item	D Ø	E	F	H	Support material	For vacuum cup item	Weight g
00 08 08	12	4.5	10	14.5	brass	01 19 17	2.7
						01 25 10	
						01 30 10	
						01 35 10	



Item	D Ø	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 09	16	8	14	15	37	aluminium	01 19 31	18.1
							01 40 70	
							01 75 31	






# SUPPORTS FOR VACUUM CUPS


3D drawings are available on vuototecnica.net

1


Item	D ∅	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 10	10.5	8	14	14	36	aluminium	01 22 24	11.0
							01 22 45	
							01 22 99	




Item	D ∅	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 14	7.5	13	9	9.5	22.5	brass	01 25 15	9.8
							01 30 15	
							01 40 80	
							01 42 90	



Item	D ∅	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 15	12	8	14	15	37	aluminium	01 25 35	12.3
							01 27 24	
							01 30 24	



Item	D ∅	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 18	9.5	8	14	10	32	aluminium	01 16 26	10.3
							01 20 30	
							01 30 50	
							01 30 55	
							01 30 99	
							01 40 50	



Transformation ratio: N (newton) = Kg x 9.81 (force of gravity)


$$\text{inch} = \frac{\text{mm}}{25.4}; \text{pounds} = \frac{\text{g}}{453.6} = \frac{\text{Kg}}{0.4536}$$

Adapters for GAS - NPT threading available on page 1.130


# SUPPORTS FOR VACUUM CUPS




Item	D ∅	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 19	9	5	12	18	35	brass	01 32 36	22.7




Item	D ∅	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 20	12	8	14	10	32	aluminium	01 35 15	11.0
							01 40 15	
							01 45 15	



Item	D ∅	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 21	12	17	13	10	27	aluminium	01 35 15	9.3
							01 40 15	
							01 45 15	



Item	D ∅	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 22	25	10	14	7.5	25	aluminium	01 45 10	5.9
							01 60 10	






# SUPPORTS FOR VACUUM CUPS


3D drawings are available on [vuototecnica.net](http://vuototecnica.net)

1


Item	D ∅	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 24	12	8	14	12	34	aluminium	01 50 20 01 65 28	10.3




Item	D ∅	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 26	14.5	8	14	13.5	35.5	aluminium	01 52 50	13.5



Item	D ∅	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 28	25	12	14	8	37.3	aluminium	01 85 10	13.4





Item	A ∅	B ∅	D ∅	F	H	Support material	For vacuum cup item	Weight g
00 08 29	15.5	M12	25	18	23.5	aluminium	01 85 10	6.6




Transformation ratio: N (newton) = Kg x 9.81 (force of gravity)

$$\text{inch} = \frac{\text{mm}}{25.4}; \text{pounds} = \frac{\text{g}}{453.6} = \frac{\text{Kg}}{0.4536}$$


Adapters for GAS - NPT threading available on page 1.130



Item	N	O	P	Q	Support material	For vacuum cup item	Weight g
00 08 31	60	25	55	20	aluminium	01 40 75	34.1



Item	A Ø	d Ø	D Ø	E	H	Support material	For vacuum cup item	Weight g
00 08 32	60	M12	64	3	10	aluminium	01 64 15 01 65 15	80.6
00 08 424	60	G1/4"	64	3	10	aluminium	01 64 15 01 65 15 01 85 15	80.6





Item	A Ø	D Ø	E	H	Support material	For vacuum cup item	Weight g
00 08 33	88	92	3	11	aluminium	01 92 15 01 110 10	188.9




# SUPPORTS FOR VACUUM CUPS


3D drawings are available on [vuotecnica.net](http://vuotecnica.net)



Item	N	O	P	Q	Support material	For vacuum cup item	Weight g
00 08 34	107	75	102	70	aluminium	01 107 75 01 120 90	215.5



Item	A ∅	D ∅	E	H	Support material	For vacuum cup item	Weight g
00 08 35	120	127	4	15	aluminium	01 150 10	471.3



Item	D ∅	F	G	H	Support material	For vacuum cup item	Weight g
00 08 44	25	14	7.5	25	aluminium	01 45 10 01 60 10	5.1

Transformation ratio: N (newton) = Kg x 9.81 (force of gravity)


inch =  $\frac{\text{mm}}{25.4}$  ; pounds =  $\frac{\text{g}}{453.6} = \frac{\text{Kg}}{0.4536}$

Adapters for GAS - NPT threading available on page 1.130



# SUPPORTS FOR VACUUM CUPS




Item	A ∅	B ∅	D ∅	F	H	Support material	For vacuum cup item	Weight g
00 08 46	15.5	G1/4"	25	18	23.5	aluminium	01 85 10	6.5



Item	D ∅	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 50	9.5	17	13	10	27	aluminium	01 16 26 01 30 50 01 30 55 01 30 99 01 40 50	8.5



Item	A ∅	C ∅	D ∅	F	H	M	Support material	For vacuum cup item	Weight g
00 08 58	160	G3/8"	180	5	12	60	aluminium	01 180 15	740.0



Item	N	O	P	Q	Support material	For vacuum cup item	Weight g
00 08 59	135	60	130	55	aluminium	01 135 60 01 150 75	218.4






# SUPPORTS FOR VACUUM CUPS


3D drawings are available on vuototecnica.net

1


Item	D ∅	E	F	H	Support material	For vacuum cup item	Weight g
00 08 60	12	6.5	8	14.5	brass	01 19 17	5.6
						01 20 08	
						01 20 60	
						01 25 08	
						01 25 10	
						01 26 10	
						01 30 10	
01 35 10							




Item	D ∅	E	F	H	Support material	For vacuum cup item	Weight g
00 08 61	10	4.5	10	14.5	brass	01 18 50	6.5
						01 20 60	




Item	D ∅	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 62	10	13	9	3	16	brass	01 18 50	9.4
							01 20 60	



Item	D ∅	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 64	6.5	13	10	7.5	20.5	brass	01 14 15	13.9
							01 15 23	
							01 18 12	
							01 18 23	
							01 18 29	
							01 18 35	



Item	D ∅	E	F ∅	G	H	Support material	For vacuum cup item	Weight g
00 08 65	6.5	13	M5	7.5	20.5	brass	01 14 15	13.7
							01 15 23	
							01 18 12	
							01 18 23	
							01 18 29	
							01 18 35	




Transformation ratio: N (newton) = Kg x 9.81 (force of gravity)

$$\text{inch} = \frac{\text{mm}}{25.4}; \text{pounds} = \frac{\text{g}}{453.6} = \frac{\text{Kg}}{0.4536}$$




Adapters for GAS - NPT threading available on page 1.130



Item	D ∅	E	F ∅	G	H	Support material	For vacuum cup item	Weight g
00 08 66	6.5	13	M5	7.5	20.5	brass	01 14 15	13.5
							01 15 23	
							01 18 12	
							01 18 23	
							01 18 29	
							01 18 35	





Item	D ∅	E	F ∅	G	H	Support material	For vacuum cup item	Weight g
00 08 67	6.5	5	8	7.5	20.5	brass	01 14 15	11.4
							01 15 23	
							01 18 12	
							01 18 23	
							01 18 29	
							01 18 35	



Item	A ∅	B ∅	C ∅	D ∅	E	F	G	H	N ∅	Support material	For vacuum cup item	Weight g
00 08 68	40	M12	23	35	7	10	18	25	20	aluminium	01 46 13	47.2
00 08 72	65	G3/8"	40	60	10	15	25	35	25	aluminium	01 73 14	169.1
00 08 73	76	G3/8"	51	71	10	15	27	37	25	aluminium	01 95 14	266.0


Item	B ∅	E	F	Support material	For vacuum cup item	Weight g
00 08 70	G1/8"	8.5	6.5	aluminium	01 12 20	5.4



Fixing plate item 00 08 97

perforated TSP M3x5 screw item 00 08 103

**Note:** Supplied automatically also with the fixing plate and the perforated TSP screw when ordering item 00 08 70





# SUPPORTS FOR VACUUM CUPS

3D drawings are available on vuotecnica.net

1





Item	A	B Ø	C	E	F	Support material	For vacuum cup item	Weight g
00 08 71	30	G1/8"	25	8.5	6.5	aluminium	01 12 30	7.8
00 08 75	40	G1/8"	35	8.5	6.5	aluminium	01 12 40	11.4
00 08 76	55	G1/8"	50	8.5	6.5	aluminium	01 12 50	15.5




Fixing plate item **00 08 98** for supp. **00 08 71**  
 item **00 08 99** for supp. **00 08 75**  
 item **00 08 100** for supp. **00 08 76**

2 TSP screws M3x5 item **00 08 102**


**Note:** Supplied automatically also with the fixing plate and the TSP screws when ordering the item relative to the support




Item	D Ø	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 81	22	8.5	14	3.5	22.5	aluminium	01 40 18 01 48 18 01 54 18	8.8




Item	D Ø	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 82	8.5	5	8	9.5	22.5	brass	01 25 12 01 33 50	11.2




Item	F	G	H	Support material	For vacuum cup item	Weight g
00 08 83	11	7.5	14.5	aluminium	01 56 15	67.4



Item	A Ø	D Ø	Support material	For vacuum cup item	Weight g
00 08 91	M10x1,25	25	brass	01 85 10	38.4



Item	A Ø	D Ø	Support material	For vacuum cup item	Weight g
00 08 92	M10	25	brass	01 45 10 01 60 10	5.2






Transformation ratio: N (newton) = Kg x 9.81 (force of gravity)

$$\text{inch} = \frac{\text{mm}}{25.4}; \text{pounds} = \frac{\text{g}}{453.6} = \frac{\text{Kg}}{0.4536}$$

Adapters for GAS - NPT threading available on page 1.130




Item	D ∅	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 101	9	5	8	8	21	brass	01 25 14	10.8



Item	A ∅	B ∅	C ∅	D ∅	F	H	M	Support material	For vacuum cup item	Weight g
00 08 107	120	M12	G3/8"	127	4	15	30	aluminium	01 127 15 01 150 10	476.9


RING NUT

Item	A ∅	B ∅	C ∅	D ∅	H	Ring nut material	For support item	Weight g
00 08 109	G1/4"	2.5	25.5	34	4.5	aluminium	00 08 108	9.8
00 08 111	G3/8"	2.5	25.5	34	4.5	aluminium	00 08 110	8.7
00 08 113	G3/8"	4.0	45.0	69	6.0	aluminium	00 08 112	58.2



SUPPORT

Item	A ∅	D ∅	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 108	G1/4"	35	9	19.5	4.5	33.0	aluminium	01 76 24	21.4
								01 90 24	
								01 110 24	
00 08 110	G3/8"	35	9	19.5	4.5	33.0	aluminium	01 76 24	25.0
								01 90 24	
								01 110 24	
00 08 112	G3/8"	69	15	22.0	5.5	42.5	aluminium	01 150 36	73.9




Note: The ring nut is provided automatically when the support is ordered with its own item




# SUPPORTS FOR VACUUM CUPS

3D drawings are available on [vuotecnica.net](http://vuotecnica.net)




Item	A ∅	B ∅	C ∅	D ∅	E	H	M	Support material	For vacuum cup item	Weight Kg
<b>00 08 115</b>	223	M12	G3/8"	230	5	15	70	aluminium	01 250 20	1.65

1



Item	A	B	D ∅	E	H	M	N	Support material	For vacuum cup item	Weight Kg
<b>00 08 116</b>	290	68	G3/8"	3	11	284	62	aluminium	01 290 68 01 300 80	0.53



Item	A	B	D ∅	E	H	M	N	Support material	For vacuum cup item	Weight Kg
<b>00 08 117</b>	290	140	G1/2"	3	11	284	134	aluminium	01 290 140 01 300 150	1.13

Transformation ratio: N (newton) = Kg x 9.81 (force of gravity)



$$\text{inch} = \frac{\text{mm}}{25.4}; \text{pounds} = \frac{\text{g}}{453.6} = \frac{\text{Kg}}{0.4536}$$

Adapters for GAS - NPT threading available on page 1.130


# SUPPORTS FOR VACUUM CUPS




Item	B Ø	D Ø	H	Support material	For vacuum cup item	Weight g
00 08 118	G1/4"	40	10	aluminium	01 42 15	32.1



Item	A Ø	B Ø	D Ø	E	H	Support material	For vacuum cup item	Weight g
00 08 119	120	G3/8"	127	4	15	aluminium	01 150 10	478.9



Item	A Ø	B Ø	D Ø	E	H	Support material	For vacuum cup item	Weight g
00 08 123	88	G3/8"	92	3	11	aluminium	01 110 10 01 92 15	186.1



Item	A Ø	B Ø	D Ø	E	H	Support material	For vacuum cup item	Weight g
00 08 126	45	M12	54	3	10	aluminium	01 75 42 01 80 20	45.5
00 08 465	45	G1/4"	54	3	10	aluminium	01 75 42 01 80 20	45.5
00 08 193	45	G3/8"	54	3	10	aluminium	01 75 42 01 80 20	45.5
00 08 143	45	G1/2"	54	3	10	aluminium	01 75 42 01 80 20	45.5




# SUPPORTS FOR VACUUM CUPS


3D drawings are available on vuoto-tecnica.net

1


Item	D Ø	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 127	13.5	8	14	15	37	aluminium	01 30 45	11.5
							01 40 25	
							01 44 30	
							01 56 30	
							01 75 30	




Item	D Ø	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 132	8.5	12	8	5	17	aluminium	01 20 23	3.8
							01 22 19	
							01 34 26	



Item	D Ø	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 133	8.5	5.5	8	5	18.5	aluminium	01 20 23	3.5
							01 22 19	
							01 34 26	



Item	D Ø	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 134	10	14	10	7.5	21.5	aluminium	01 30 32	8.3
							01 40 42	
							01 43 28	




Transformation ratio: N (newton) = Kg x 9.81 (force of gravity)

$$\text{inch} = \frac{\text{mm}}{25.4}; \text{pounds} = \frac{\text{g}}{453.6} = \frac{\text{Kg}}{0.4536}$$


Adapters for GAS - NPT threading available on page 1.130





Item	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 135	7.5	12	7.5	27	aluminium	01 30 32 01 40 42 01 43 28	9.5




Item	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 136	12	14	8	37.3	aluminium	01 85 10	9.2



Item	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 141	14	10	9.5	23.5	aluminium	01 50 53 01 53 35	19.7



Item	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 142	7.5	12	9.5	29	aluminium	01 50 53 01 53 35	15.7










# SUPPORTS FOR VACUUM CUPS

3D drawings are available on [vuotecnica.net](http://vuotecnica.net)

1




Item	N	O	P	Q	Support material	For vacuum cup item	Weight g
00 08 144	135	50	130	45	aluminium	01 135 50 01 150 65	176.1



Item	A Ø	B Ø	C Ø	D Ø	E	H	M	Support material	For vacuum cup item	Weight g
00 08 145	120	G3/8"	G3/8"	127	4	15	27	aluminium	01 150 10	471.9

Item	D Ø	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 146	8	5	8	5	18	brass	01 20 12 01 20 14 01 20 15	9.8




Transformation ratio: N (newton) = Kg x 9.81 (force of gravity)

$$\text{inch} = \frac{\text{mm}}{25.4}; \text{pounds} = \frac{\text{g}}{453.6} = \frac{\text{Kg}}{0.4536}$$


Adapters for GAS - NPT threading available on page 1.130





Item	B Ø	D Ø	H	Support material	For vacuum cup item	Weight g
00 08 147	M12	40	10	aluminium	01 42 15	32.8



Item	D Ø	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 148	12	7.5	12	15	34.5	aluminium	01 50 70	14.5



Item	D Ø	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 155	8	13	9	5	18	brass	01 20 12 01 20 14 01 20 15	9.1




Item	A Ø	C Ø	D Ø	E	N	H	Support material	For vacuum cup item	Weight g
00 08 162	61	G1/8"	70	3	23	10	aluminium	01 110 58	78.9



# SUPPORTS FOR VACUUM CUPS


3D drawings are available on vuototecnica.net






Item	A Ø	B Ø	C Ø	D Ø	E	N	H	Support material	For vacuum cup item	Weight g
00 08 163	98	G1/2"	G1/8"	107	3	35	10	aluminium	01 150 74	211.8

1


Item	C Ø	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 172	M8	8	14	15	37	aluminium	01 40 25 01 56 30 01 75 30	15.2



Item	C Ø	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 173	5.5	5	8	7.5	20.5	aluminium	01 15 23 01 18 23 01 18 29 01 18 35	8.7



Item	N	O	P	Q	Support material	For vacuum cup item	Weight g
00 08 184	60	25	55	20	aluminium	01 40 75	38.7




Item	A Ø	B Ø	D Ø	E	F	H	Support material	For vacuum cup item	Weight g
00 08 231	15	G1/8"	36	10	4	14	aluminium	01 31 06	24.9

Transformation ratio: N (newton) = Kg x 9.81 (force of gravity)



inch =  $\frac{\text{mm}}{25.4}$  ; pounds =  $\frac{\text{g}}{453.6} = \frac{\text{Kg}}{0.4536}$

Adapters for GAS - NPT threading available on page 1.130

# SUPPORTS FOR VACUUM CUPS




Item	A ∅	B ∅	D ∅	E	F	H	Support material	For vacuum cup item	Weight g
00 08 232	15	G1/8"	30	10	4	14	aluminium	01 24 06	16.7




Item	A ∅	B ∅	D ∅	E	H	Support material	For vacuum cup item	Weight g
00 08 233	60	G3/4"	64	3	10	aluminium	01 85 15	77.3
00 08 234	60	G1/2"	64	3	10	aluminium	01 85 15	78.3


Item	D ∅	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 236	8	5	5	5	15	brass	01 07 13	3.0




Item	D ∅	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 237	6	5	5	4	14	brass	01 08 07	3.0




Item	D ∅	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 238	5.7	7	7	6	20	brass	01 11 08	7.0



Item	D ∅	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 239	4	5	8	6.5	19.5	brass	01 14 09	8.0



Item	D ∅	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 240	4	13	9	6.5	19.5	brass	01 14 09	7.0



Transformation ratio: N (newton) = Kg x 9.81 (force of gravity)

$$\text{inch} = \frac{\text{mm}}{25.4}; \text{pounds} = \frac{\text{g}}{453.6} = \frac{\text{Kg}}{0.4536}$$

Adapters for GAS - NPT threading available on page 1.130




# SUPPORTS FOR VACUUM CUPS


3D drawings are available on [vuotecnica.net](http://vuotecnica.net)

1


Item	D ∅	F	H	Support material	For vacuum cup item	Weight g
00 08 241	8	9	10	brass	01 15 04	1.5




Item	D ∅	F	H	Support material	For vacuum cup item	Weight g
00 08 242	11	9	9.5	brass	01 20 04	1.8




Item	D ∅	F	H	Support material	For vacuum cup item	Weight g
00 08 243	15	10	13	brass	01 20 06	6.0




Item	D ∅	E	F	H	Support material	For vacuum cup item	Weight g
00 08 244	14	6.5	8	14.5	brass	01 35 12	5.9




Item	D ∅	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 245	6.5	4.5	6	8	18.5	brass	01 20 11	2.7



Item	D ∅	F	H	Support material	For vacuum cup item	Weight g
00 08 246	14	8	10	brass	01 22 06	5.0



Item	D ∅	F	H	Support material	For vacuum cup item	Weight g
00 08 247	14	8	17	brass	01 40 14	8.4



Transformation ratio: N (newton) = Kg x 9.81 (force of gravity)

$$\text{inch} = \frac{\text{mm}}{25.4}; \text{pounds} = \frac{\text{g}}{453.6} = \frac{\text{Kg}}{0.4536}$$

Adapters for GAS - NPT threading available on page 1.130


# SUPPORTS FOR VACUUM CUPS




3D drawings are available on vuototecnica.net

1





Item	D ∅	F	H	Support material	For vacuum cup item	Weight g
00 08 248	24	14	23.5	aluminium	01 54 18	5.8





Item	D ∅	E	F	H	Support material	For vacuum cup item	Weight g
00 08 249	8	8.5	5	13.5	brass	01 31 12	1.8



Item	D ∅	F	H	Support material	For vacuum cup item	Weight g
00 08 250	21	14	23	aluminium	01 32 30	8.6



Item	A	B	C	H	N	O	P	Q	Support material	For vacuum cup item	Weight g
00 08 256	80	51	2.5	16.6	107	75	102	70	aluminium	01 120 90	244.5



Item	A	B	C	H	N	O	P	Q	Support material	For vacuum cup item	Weight g
00 08 257	110	35	2.3	16.4	135	60	130	55	aluminium	01 150 75	247.9

Transformation ratio: N (newton) = Kg x 9.81 (force of gravity)


inch =  $\frac{mm}{25.4}$  ; pounds =  $\frac{g}{453.6} = \frac{Kg}{0.4536}$

Adapters for GAS - NPT threading available on page 1.130




# SUPPORTS FOR VACUUM CUPS

3D drawings are available on vuototecnica.net




Item	A Ø	B Ø	C Ø	D Ø	E	H	Support material	For vacuum cup item	Weight g
00 08 280	35	G1/2"	--	70	12.5	22.5	aluminium	01 150 55	120
00 08 281	65	G1/2"	--	130	12.5	23.5	aluminium	01 210 60	465
00 08 286	35	--	8	70	12.5	22.5	aluminium	01 150 55	125
00 08 287	65	--	8	130	12.5	23.5	aluminium	01 210 60	470

1




Item	A Ø	B	D Ø	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 343	G1/8"	14	7.3	10	8.0	5.5	15.5	aluminium	VOP 08 24 SR VOP 10 30 SR VOP 12 36 SR	16.8
00 08 345	G1/4"	17	13.0	12	8.5	9.0	21.0	aluminium	VOP 15 45 SR	19.9
00 08 405	G1/4"	17	13.0	12	8.5	9.0	21.0	aluminium	VOP 20 60 SR VOP 25 75 SR	24.7
00 08 403	G1/4"	17	13.0	12	8.5	9.0	21.0	aluminium	VOP 28 85 SR VOP 35 100 SR	25.6




screw  
item 00 08 347 for supp.00 08 403  
item 00 08 348 for supp.00 08 405

**Note:** Supplied automatically also with the screw when ordering the item relative to the support



Item	A Ø	B	D Ø	E	F	G	H	Support material	For vacuum cup item	Weight g
00 08 344	G1/8"	14	7.3	7	7	5.5	19.5	aluminium	VOP 08 24 SR VOP 10 30 SR VOP 12 36 SR	18.5
00 08 346	G1/4"	17	13.0	8	8	9.0	25.0	aluminium	VOP 15 45 SR	25.0
00 08 404	G1/4"	17	13.0	8	8	9.0	25.0	aluminium	VOP 20 60 SR VOP 25 75 SR	29.8
00 08 402	G1/4"	17	13.0	8	8	9.0	25.0	aluminium	VOP 28 85 SR VOP 35 100 SR	30.7



screw  
item 00 08 347 for supp.00 08 402  
item 00 08 348 for supp.00 08 404


**Note:** Supplied automatically also with the screw when ordering the item relative to the support

Transformation ratio: N (newton) = Kg x 9.81 (force of gravity)


inch =  $\frac{\text{mm}}{25.4}$  ; pounds =  $\frac{\text{g}}{453.6} = \frac{\text{Kg}}{0.4536}$

Adapters for GAS - NPT threading available on page 1.130



# SUPPORTS FOR VACUUM CUPS





Item	B	C Ø	D Ø	E	F	G	H	I	L	Support material	For vacuum cup item	Weight g
<b>00 08 373</b>	8	G1/4"	G1/4"	2	10	10.0	22.0	M8	11	aluminium	08 75 43 SR	4.1
<b>00 08 372</b>	8	G3/8"	G1/4"	2	13	10.0	25.0	M8	11	aluminium	08 75 43 SR	7.4
<b>00 08 376</b>	8	G3/8"	G3/8"	3	13	15.5	31.5	M8	11	aluminium	08 110 73 SR	14.1
<b>00 08 375</b>	8	G1/2"	G3/8"	3	13	15.5	31.5	M8	11	aluminium	08 110 73 SR	15.5



Item	B	C Ø	D Ø	E	F	G	H	I	L	M	Support material	For vacuum cup item	Weight g
<b>00 08 374</b>	22	G3/8"	G1/4"	1.5	14	10.0	25.0	M8	10	11	aluminium	08 75 43 SR	12.0
<b>00 08 377</b>	23	G1/2"	G3/8"	3.0	17	15.5	35.5	M8	13	11	aluminium	08 110 73 SR	17.8



Item	A Ø	B	C Ø	D Ø	E	F	G	H	I	L	Support material	For vacuum cup item	Weight g
<b>00 08 394</b>	20	17	G1/8"	11	6.0	8	7.2	21.2	M5	8	aluminium	01 35 27	6.2
<b>00 08 395</b>	27	20	G1/8"	15	7.5	8	9.2	24.7	M5	8	aluminium	01 52 40	13.2
<b>00 08 366</b>	20	17	G1/4"	11	6.0	8	7.2	21.2	M8	11	aluminium	01 35 27	6.1
<b>00 08 364</b>	27	20	G1/4"	15	7.5	8	9.2	24.7	M8	11	aluminium	01 52 40	13.0



Item	A Ø	B	C Ø	D Ø	E	F	G	H	Support material	For vacuum cup item	Weight g
<b>00 08 396</b>	20	17	G1/8"	11	14	8	7.2	21.2	aluminium	01 35 27	9.7
<b>00 08 397</b>	27	20	G1/8"	15	14	8	9.2	23.2	aluminium	01 52 40	20.0
<b>00 08 392</b>	20	17	G1/4"	11	14	10	7.2	21.2	aluminium	01 35 27	7.8
<b>00 08 393</b>	27	20	G1/4"	15	14	10	9.2	23.2	aluminium	01 52 40	18.1